



\*Free Home Sample Collection  
9999 778 778


Download "MOLQ" App on

Book a Test Online  
www.molq.in

Medical ID 01190022 Date of Report 2015/9/19

Basic Information		Ultrasonic Image	
<b>Name</b>	MRS. NIVIDA	<b>u-Gestational weeks</b>	Week Day
<b>Date of Birth</b>	14/10/1988	<b>Calculating Method</b>	ByLMP
<b>Age</b>	27	<b>Date of Test</b>	
<b>Weight(Kg)</b>	54	<b>BPD(mm)</b>	
<b>Race</b>	Asian	<b>CRL(mm)</b>	
<b>Number of Child</b>	1	<b>Nasal Bone</b>	FALSE
<b>Smoke or not</b>	FALSE	<b>MoM</b>	<b>Cut-off</b>
		<b>NT(mm)</b>	<=2.5

Serological test				
Date of Test	Result	Unit	MoM	Cut-off
19/09/2015 00:00				
<b>Parameter</b>	<b>Result</b>	<b>Unit</b>	<b>MoM</b>	<b>Cut-off</b>
AFP	72.28	IU/ml	1.31	0.5-2.5
f-B-HCG	30.13	ng/ml	2.22	<=2.11
FE3	11.37	nmol/L	1.94	>0.65
	<b>Risk of Age</b>			1:1288
	<b>Risk of Trisomy 21</b>			1:9345
	<b>Risk of Trisomy 18</b>			1:333333
	<b>Risk of NTD</b>			1.31



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

**Down Syndrome**

The Down Syndrome result 1:9345 is less than the threshold value 1:600, while Down Syndrome is at low risk.

**Edward Syndrome**

The Edward Syndrome result 1:333333 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

**NTD**

The NTD result 1.31 is lower than the threshold value 2.5, the NTD is at low risk.