



*Free Home Sample Collection
9999 778 778


Download "MOLQ" App on

Book a Test Online
www.molq.in

Medical ID 01230059 Date of Report 2015/9/23

Basic Information		Ultrasonic Image	
Name	Mrs. VARSHA BHARDWAJ	u-Gestational weeks	Week Day
Date of Birth	13/09/1987	Calculating Method	ByLMP
Age	28	Date of Test	
Weight(Kg)	58	BPD(mm)	
Race	Asian	CRL(mm)	
Number of Child	1	Nasal Bone	FALSE
Smoke or not	FALSE	MoM	Cut-off
		NT(mm)	<=2.5

Serological test				
Date of Test	23/09/2015 00:00	r-Gestational weeks	17	Week 2 Day
Parameter	Result	Unit	MoM	Cut-off
AFP	47.15	IU/ml	0.97	0.5-2.5
f-B-HCG	22.14	ng/ml	1.34	<=2.11
FE3	14.22	nmol/L	3.06	>0.65
	Risk of Age			1:1288
	Risk of Trisomy 21			1:17543
	Risk of Trisomy 18			1:111111
	Risk of NTD			0.97



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLE TREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:17543 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:111111 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD

The NTD result 0.97 is lower than the threshold value 2.5, the NTD is at low risk.