

\*Free Home Sample Collection 9999 778 778 Book a Test Online www.molq.in

Download "MOLQ"

	01100100		Data of Domost	0045/	44/00	
Medical ID 01190166 Basic Information		Date of Report	2015/11/20			
Basic morma	alion		Ultrasonic Image			
		23/11/1986	u-Gestational weeks Calculating Method Date of Test	Week Day ByLMP		
<b>Weight(Kg)</b> 70.1		BPD(mm)				
		n <b>CRL(mm)</b>				
Number of Child			Nasal Bone		ALSE	
Smoke or not		FALSE		МоМ	<i>Cut-off</i> <=2.5	
Serological test						
Date of Test	19/11/2015 0		r-Gestational weeks	19 Week	0 Day	
Paramet AFP	ter Result 99.78	<i>Unit</i> IU/ml	<b>MoM</b> 1.93	<b>Cut-off</b> 0.5-2.5		
f-B-HCO		ng/ml	0.7	0.5-2.5 <=2.11		
FE3	8.06	nmol/L	1.2	>0.65		
Risk of Age Risk of Trisomy 21 Risk of Trisomy 18 Risk of NTD		1:1000 1:41666 1:76923 1.93				
3/500			Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only. Down Syndrome			
1/250			The Down Syndrome result 1:41666 is less than the threshold value 1:600, while Down Syndrome is at low risk.			
3/1000			Edward Syndrome			
1/500			The Edward Syndrome result 1:76923 is less than the threshold value 1:600, while Edward Syndrome is at low risk.			
1/1000			NTD			
0 10 15	20 25 30 35 40 45	50	The NTD result 1.93 is lov 2.5, the NTD is at low risk		hold value	
Apple Tree Prenatal Screen software. v20131216						