



*Free Home Sample Collection
9999 778 778

Download "MOLQ" App on



Book a Test Online
www.molq.in

Prenatal Screen Report

Medical ID: 011604220048 Date of Report: 2016/4/22


Basic Information		Ultrasonic Image	
Name	Mrs HARPREET	u-Gestational weeks	Week Day
Date of Birth	4/15/1984	Calculating Method	ByLMP
Age	32	Date of Test	
Weight(Kg)	63	BPD(mm)	
Race	Asian	CRL(mm)	
Number of Child	1	Nasal Bone	FALSE
Smoke or not	FALSE	MoM	Cut-off
		NT(mm)	<=2.5

Serological test

Date of Test 4/22/2016 18:09 **r-Gestational weeks** 18 Week 1 Day

Parameter	Result	Unit	MoM	Cut-off
AFP	47.39	IU/ml	0.96	0.5-2.5
f-B-HCG	45.84	ng/ml	3.72	<=2.11
FE3	11.29	nmol/L	1.98	>0.65

Risk	Risk of Age	Risk of Trisomy 21	Risk of Trisomy 18	Risk of NTD
	1:683	1:1406	1:166666	0.96



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLE TREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:1406 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:166666 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD

The NTD result 0.96 is lower than the threshold value 2.5, the NTD is at low risk.