

*Free Home Sample Collection 9999 778 778



Book a Test Online www.molq.in

011604300047	Date of Report	2016/5/1		
	Ultrasonic Image			
MRS. PARAMJIT KAUR	u-Gestational weeks	Week	Day	
09/09/19	85 Calculating Method	By	ByLMP	
	31 Date of Test			
	53 BPD(mm)			
As	ian <i>CRL(mm)</i>			
	1 Nasal Bone	FALSE		
FAL	SE	МоМ	Cut-off	
	NT(mm)		<=2.5	
_	MRS. PARAMJIT KAUR 09/09/19 As	MRS. PARAMJIT KAUR 09/09/1985 Calculating Method Date of Test BPD(mm) CRL(mm) Nasal Bone FALSE	MRS. PARAMJIT KAUR 09/09/1985 31 Calculating Method Date of Test BPD(mm) CRL(mm) Nasal Bone FALSE U-Gestational weeks Week By Calculating Method By CRL(mm) By Mom	

Serological test


Date of Test	01/05/2016	12:28	r-Gestational weeks 17 Week 6		Day		
Parameter	Result	Unit	МоМ	Cı	ut-off		
AFP	27.72	IU/ml	0.5	0.	5-2.5		
f-B-HCG	16.08	ng/ml	1.17	<=	<=2.11		
FE3	6.61	nmol/L	1.13	>	0.65		
	Risk of Age		1:796				

 Risk of Age
 1:796

 Risk of Trisomy 21
 1:1394

 Risk of Trisomy 18
 1:20833

 Risk of NTD
 0.5



Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image.
Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:1394 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:20833 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD

The NTD result 0.5 is lower than the threshold value 2.5, the NTD is at low risk.