



\*Free Home  
Sample Collection  
**9999 778 778**

Download "MOLQ"  
App on

Book a Test  
Online  
[www.molq.in](http://www.molq.in)

Medical ID	011605060006	Date of Report	2016/5/7		
<b>Basic Information</b>		<b>Ultrasonic Image</b>			
<b>Name</b>	MRS. RANI	<b>u-Gestational weeks</b>	Week Day		
<b>Date of Birth</b>	28/05/1985	<b>Calculating Method</b>	ByLMP		
<b>Age</b>	31	<b>Date of Test</b>			
<b>Weight(Kg)</b>	60	<b>BPD(mm)</b>			
<b>Race</b>	Asian	<b>CRL(mm)</b>			
<b>Number of Child</b>	1	<b>Nasal Bone</b>	FALSE		
<b>Smoke or not</b>	FALSE	<b>MoM</b>	<b>Cut-off</b>		
		<b>NT(mm)</b>	<=2.5		
<b>Serological test</b>					
<b>Date of Test</b>	07/05/2016 10:22	<b>r-Gestational weeks</b>	19 Week 3 Day		
Parameter	Result	Unit	MoM	Cut-off	
AFP	80.77	IU/ml	1.37	0.5-2.5	
f-B-HCG	6.76	ng/ml	0.68	<=2.11	
FE3	16.29	nmol/L	2.36	>0.65	
<b>Risk</b>	<b>Risk of Age</b> <b>Risk of Trisomy 21</b> <b>Risk of Trisomy 18</b> <b>Risk of NTD</b>				
	1:796 1:62500 1:33333 1.37				
		Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.			
<b>Down Syndrome</b>					
The Down Syndrome result 1:62500 is less than the threshold value 1:600, while Down Syndrome is at low risk.					
<b>Edward Syndrome</b>					
The Edward Syndrome result 1:33333 is less than the threshold value 1:600, while Edward Syndrome is at low risk.					
<b>NTD</b>					
The NTD result 1.37 is lower than the threshold value 2.5, the NTD is at low risk.					
Apple Tree Prenatal Screen software. v20131216					