



*Free Home Sample Collection
9999 778 778

Download "MOLQ" App on

Book a Test Online
www.molq.in


Medical ID: 011609090184 Date of Report: 2016/9/9

Basic Information		Ultrasonic Image	
Name	MRS.MAMTA	u-Gestational weeks	Week Day
Date of Birth	21/07/1985	Calculating Method	ByLMP
Age	31	Date of Test	
Weight(Kg)	84	BPD(mm)	
Race	ASIAN	CRL(mm)	
Number of Child	1	Nasal Bone	FALSE
Smoke or not	FALSE	MoM	Cut-off
		NT(mm)	<=2.5

Serological test

Date of Test	09/09/2016 18:00	r-Gestational weeks	13 Week 4 Day	
Parameter	Result	Unit	MoM	Cut-off
f-B-HCG	30.01	ng/ml	0.96	<=2.11
PAPPA	1318.95	mIU/L	0.28	>0.25

Risk	Risk of Age	1:796
	Risk of Trisomy 21	1:322
	Risk of Trisomy 18	1:767
	Risk of NTD	



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:322 is in gray range 1/600-1/270.

Edward Syndrome

The Edward Syndrome result 1:767 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD