

*Free Home Sample Collection 9999 778 778 Download "MOLQ"
App on

Book a Test Online www.molq.in

Medical ID	011610060220	Date of Report	2016/10/7
Basic Information		Ultrasonic Image	

NameMRS.SAVITA
Date of Birthu-Gestational weeks
15/11/1988
Calculating MethodWeekDayAge28Date of TestWeight(Kg)69.6BPD(mm)RaceASIANCRL(mm)49

Number of Child1Nasal BoneFALSESmoke or notFALSEMoMCut-off

NT(mm) 1.1 <=2.5

Serological test


Date of Test	07/10/2016	11:34	r-Gestational weeks	11 Week	5	Day
Parameter	Result	Unit	МоМ	Cut-off		
f-B-HCG	40.47	ng/ml	1.09	<=2.11		
PAPPA	2021.2	mIU/L	0.73	>0.25		

 Risk of Age
 1:1288

 Risk of Trisomy 21
 1:2267

 Risk of Trisomy 18
 1:142857

 Risk of NTD



Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:2267 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:142857 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD