



*Free Home Sample Collection
9999 778 778

Download "MOLQ" App on

Book a Test Online
www.molq.in


Medical ID 011705150185 Date of Report 2017/5/16

Basic Information		Ultrasonic Image	
Name	MRS PREETI	u-Gestational weeks	Week Day
Date of Birth	03/12/1989	Calculating Method	ByLMP
Age	27	Date of Test	
Weight(Kg)	66.4	BPD(mm)	
Race	ASIAN	CRL(mm)	
Number of Child	1	Nasal Bone	FALSE
Smoke or not	FALSE	MoM	Cut-off
		NT(mm)	<=2.5

Serological test

Date of Test	16/05/2017 00:00	r-Gestational weeks	12 Week 3 Day
Parameter	Result	Unit	MoM
f-B-HCG	42.53	ng/ml	1.07
PAPPA	1104.8	mIU/L	0.38
			Cut-off
			<=2.11
			>0.25

Risk		
	Risk of Age	1:1288
	Risk of Trisomy 21	1:652
	Risk of Trisomy 18	1:10526
	Risk of NTD	



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:652 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:10526 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD