



*Free Home Sample Collection
9999 778 778

Download "MOLQ" App on


Book a Test Online
www.molq.in

Medical ID 011705160170 Date of Report 2017/5/18

Basic Information		Ultrasonic Image	
Name	MRS ANITA	u-Gestational weeks	Week Day
Date of Birth	01/01/1994	Calculating Method	ByLMP
Age	23	Date of Test	
Weight(Kg)	46	BPD(mm)	
Race	ASIAN	CRL(mm)	
Number of Child	1	Nasal Bone	FALSE
Smoke or not	FALSE	MoM	Cut-off
		NT(mm)	<=2.5

Serological test				
Date of Test	18/05/2017 00:00	r-Gestational weeks	13	Week 1 Day
Parameter	Result	Unit	MoM	Cut-off
f-B-HCG	89.6	ng/ml	1.67	<=2.11
PAPPA	6545	mIU/L	1.05	>0.25

Risk	Risk of Age	1:1818
	Risk of Trisomy 21	1:2824
	Risk of Trisomy 18	1:1000000
	Risk of NTD	



Apple Tree Prenatal Screen software. v20131216

Risks are calculated based on APPLETREE Database with the serological test and Ultrasonic image. Reference to the doctor only.

Down Syndrome

The Down Syndrome result 1:2824 is less than the threshold value 1:600, while Down Syndrome is at low risk.

Edward Syndrome

The Edward Syndrome result 1:1000000 is less than the threshold value 1:600, while Edward Syndrome is at low risk.

NTD