

### Test Description

MSI testing is used for Hereditary Cancer screening (Hereditary Non-Polyposis Colorectal Cancer -HNPCC or Lynch syndrome); As a biomarker (Prognostic and predictive biomarker for the response of Immunotherapy)

### Clinician

Clinician Name: Dr Manish Singhal  
Medical Facility: Noida Medicare Centre  
Pathologist: Not Provided

### Patient Demographic

Name: Suresh Chandra Laddha  
Sex: Male  
Date of Birth/Age: 62 years  
Disease: Metastatic Gallbladder Carcinoma

### Specimen

Site: Peritoneum  
Sample Type: FFPE block 18054792  
Date of Collection: 11-05-2019  
Date of Booking: 11-05-2019

# iMSI Rapid™ Assay

## Result

## Microsatellite status - Stable

### BIOMARKER FINDINGS

ACVR2A	No mutation detected
BTBD7	No mutation detected
DIDO1	No mutation detected
MRE11	No mutation detected
RYR3	No mutation detected
SEC13A	No mutation detected
SULF2	No mutation detected

### INTERPRETATION

**Mutations are not detected in any of the 7 markers**

\*MSS <2 of the 7 markers demonstrate instability

#MSI-H ≥2 of the 7 markers demonstrate instability

\*Microsatellite stable

# Microsatellite Instability-High

*For valid batch test results specific controls are being run with every batch.*

### METHODOLOGY

Multiplex detection of seven mononucleotide repeats using molecular beacon probe-based polymerase chain reaction followed by high resolution melt-curve analysis. The assay uses seven novel biomarkers ACVR2A, BTBD7, DIDO1, MRE11, RYR3, SEC31A and SULF2 as this set of biomarkers is stable over different cancer types and ethnicities and show high performance than other known assays like Bethesda Panel. This test is carried out on Idylla platform using the MSI/1.0 Cartridge based kit which is CE IVD approved.

### REFERENCES

Zhao et al. (2014) eLife 3: e02725, 1-26.  
De Craene B. et al. (2018) ASCO Abstract #e15639.  
Zhao et al. (2018) ASCO Abstract #e15654



13 May, 2019

Dr Gulshan Yadav, MD, Consultant Pathology

Date

**MolQ Laboratory (A Unit of Molecular Quest Healthcare Pvt. Ltd.)**

Reference Laboratory: 28-29, Sector-18 (P) | Gurgaon, Haryana, 122015 | Phone 0124 - 4307906, Fax 0124 - 4278596 | Email: contact@molq.in