

HER2/neu IHC

 PATIENT
 REPORT DATE
 BOOKING ID

 Tejram Mathur
 12 Nov 2019
 #011911070060

Human Epidermal Growth Factor Receptor 2 Immunohistochemistry

Clinician

Clinician Name: Dr. Amit Verma Medical Facility: Max Hospital. Pathologist: Not Provided

Human Epidermal Growth Factor Receptor 2 (HER2/neu): Negative (Score 0)

Microscopy Evaluation

HE Staining (Figure 1)

Tumor cells: 85%

Her2/neu by IHC: Negative (Score 0)

Percentage of cells with uniform membrane staining: 00% (Figure 2)

HE Stained Section




Figure 1

HER2/Neu IHC-Tumor




Figure 2

Pathologist:

Clinical Information

Test Description

Human epidermal growth factor receptor 2 (*HER2*), is a protooncogene located on chromosome 17q21 that encodes a transmembrane protein with tyrosine kinase activity, a member of the HER receptor family and is involved in signal transduction pathways, leading to cell growth and differentiation. Amplification and overexpression of the *HER2* gene have been associated with a shorter disease-free survival and shorter overall survival in gastric and gastroesophageal junction cancers, as well as breast, endometrial, and ovarian cancer.

Test is useful for determining overexpression of HER2 protein of

gastric and esophageal adenocarcinoma in formalin-fixed, paraffin-

embedded tissue sections (with reflex to FISH testing).

Specimen

Sample Type: FFPE Block SB 2598/18

Site: Rectum Hemicolectomy Pathology ID: MOLQ/IHC-41112019 Disease: Metastatic Carcinoma Colon

Scoring

The scoring system is based on type and origin of tumor.

Score	Staining Pattern	Interpretation
0	No staining or <10% of cells	Negative
1+	Faint incomplete staining of cell	Negative
	membrane in >10% of Tumor cells.	
2+	Weak to moderate complete staining of	Weak Positive/
	cell membrane >10% of Tumor cells.	Equivocal
3+	Strong complete staining of cell	Strong Positive
	membrane in >10% of Tumor cells.	

Interpretation

Results are reported as positive (3+ HER2 protein expression), equivocal (2+), or negative (0 or 1+).

Equivocal (2+) cases will automatically reflex to FISH testing at an additional charge.

Methodology

Immunostaining for HER2 protein was done using PathnSitu Rabbit Anti-Human HER2 monoclonal (Clone EP3) antibody (#PR047)

References

- $1.\ Rosai\ and\ Ackerman's\ Surgical\ Pathology.$
- 2. NCCN Guidelines Journal of the National Comprehensive Cancer Network $2006\,4$
- 3. Ruschoff J, Dietel M, Baretton G, et al. HER2 diagnostics in gastric cancer guideline validation and development of standardized immunohistochemical testing. Virchows Arch. Sep; 457 (3):299–307
- 4. Brandon S *et al.* HER2/neu Testing in Gastric Cancer by Immunohistochemsitry. Arch Pathol Lab Med 2014 138
- Ramin Azarhoosh et al. HER2/neu gene amplification in gastric adenocarcinoma and its relationship with clinical and pathological findings. J Gastrointest Oncol. 2017 8:6

Reviewed By

Dr. Gulshan Yadav, MD Head, Pathology