


Date of Report 21/7/2021  
PRISCA 5.1.0.17

Patient Data	Value		
Name	MRS PRITI KUMARI	Patient ID	052107210028
Birthday	25/10/1993	Sample ID	11099650
Age at delivery	28.1	Sample Date	21/07/2021

Correction factors			
Fetuses	1	IVF	unknown
Weight in kg	50	Diabetes	NO
Smoker	NO	Origin	Asian
		Previous trisomy 21	unknown
		Pregnancies	unknown

Biochemical Data			Risks at sampling date	
Parameter	Value	Corr MoM		
AFP	54.5 ng/ml	0.86	Age Risk	1:1152
uE3	1.2 ng/ml	0.85	Biochemical Trisomy 21 Risk	1:3366
hCG	20750.4 mIU/ml	0.9	Neural Tube Defect Risk	Low risk area
Inhibin	305.2 IU/ml	1.27	Trisomy 18	<1:10000

Ultrasound Data		Down's Syndrome Risk (Trisomy 21 Screening)
Gestational age	18+6	<p>The calculated risk for Trisomy 21 is below the cut off which represents a low risk.</p> <p>After the result of the Trisomy 21 test it is expected that 3366 women with the same data, there is one woman with a trisomy 21 pregnancy 3365 women with not affected pregnancies.</p> <p>The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that the risk calculations are statistical approaches and have no diagnostic value!</p>
Method	BPD(<>Hadlock)	



The calculated risk for Trisomy 21 is below the cut off which represents a low risk.

After the result of the Trisomy 21 test it is expected that 3366 women with the same data, there is one woman with a trisomy 21 pregnancy 3365 women with not affected pregnancies.

The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please note that the risk calculations are statistical approaches and have no diagnostic value!

Trisomy 18
The calculated risk for Trisomy 18 is <1:10000, which indicates a low risk
Neural Tube Defect (NTD) Screening
The corrected MoM for AFP (0.86) is located in the low risk area for neural tube defects.

The laboratory can not be held responsible for their impact on the risk assessment! Calculated value has no diagnostic value!