Date of Report 25/1/2022 PRISCA 5.1.0.17

					PRISCA	5.1.0.17	
Patient Data	Value						
Name	MRS S	SHASHI RA	.WAT(F1	.)	Patient ID	052201240019	
Birthday			10/8/198	9	Sample ID	11217668	
Age at delivery	delivery 32.9				Sample Date	24/01/2022	
Correction factors	s						
Fetuses	2	IVF		unknown	Previous trisomy 21	unknown	
Weight in kg	53.8	Diabetes		NO	Pregnancies	unknown	
Smoker	NO	Origin		Asian			
Biochemical Data				Risks at sampl	Risks at sampling date		
Parameter	Value	Cor	т МоМ	Age Risk		1:644	
AFP	18.4 r	ng/ml	0.13	Biochemical T	risomy 21 Risk	1:752	
uE3	2.86 n	ng/ml	1.12	Neural Tube I	Defect Risk	Low risk area	
hCG	34213.5 r	m <b>I</b> U/ml	0.91	Trisomy 18		<1:10000	
Inhibin	321.5 I	U/ml	0.67				
Ultrasound Data				Down's Syndrome Risk (Trisomy 21 Screening)			
Gestational age	1	9+3			l risk for Trisomy 21	is below the cut off	
Method	BPD (<>Hadlock)			which represents a low risk.  After the result of the Trisomy 21 test it is expected that			
				_		ata, there is one woman I women with not affected	
Risk				pregnancies.	21 pregnancy and 73	i women with not affected	
Risk 1:10				The calculated risk by PRISCA depends on the accuracy of			
					-		
		/		have no diagno			
1:100							
1:250 Cut off				Trisomy 18			
				The calculated risk for Trisomy 18 is <1:10000, which			
1:1000				indicates a low risk Neural Tube Defect (NTD) Screening			
1:10000				recural Tube I	Defect (IVID) Screet	mig	
13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 Age					The corrected MoM for AFP (0.13) is located in the low risk area for neural tube defects.		
1:100 1:250 1:1000 1:1000	23 25 27 29 31 33 35			The calculated the information of that the rihave no diagnormal Trisomy 18  The calculated indicates a low Neural Tube Incorrected The corrected the information of the corrected the information of the corrected the information of the informa	n provided by the refeisk calculations are statestic value!  I risk for Trisomy 18 v risk  Defect (NTD) Screen	erring physician. Please attistical aapproaches and sis <1:10000, which	

The laboratory can not be held responsible for their impact on the risk assessment! Calculated value has no diagnostic value!

risk area for neural tube defects.