

*Free Home Sample Collection 9999 778 778



Book a Test Online www.molq.in


Date of Report 30/11/2022 PRISCA 5.1.0.17

| | | | | | PRISCA | 5.1.0.17 | |
|----------------------|---------------------|-----------------|-------------|---|---|----------------------------|--|
| Patient Data | Value | | | | | | |
| Name | | MRS | S. K. ROJ | A | Patient ID | 012211280149 | |
| Birthday | | | 27/05/199 | 9 | Sample ID | 11521833 | |
| Age at delivery | 23.09 | | | 9 | Sample Date | 28/11/2022 | |
| Correction factors | | | | | | | |
| Fetuses | 1 | IVF | | unknown | Previous trisomy 21 | unknown | |
| Weight in kg | 48 | Diabetes | | NO | Pregnancies | unknown | |
| Smoker | NO | Origin | | Asian | | | |
| Biochemical Data | | | | Risks at sampl | Risks at sampling date | | |
| Parameter | Value | Co | отт МоМ | Age Risk | | 1:1432 | |
| AFP | 93.5 | ng/ml | 0.99 | Biochemical T | risomy 21 Risk | <1:10000 | |
| uE3 | 2.34 | ng/ml | 1.08 | Neural Tube I | Defect Risk | Low risk area | |
| hCG | 13508.8 mIU/ml 0.68 | | Trisomy 18 | | <1:10000 | | |
| Inhibin | 247.5 | IU/ml | 1.14 | | | | |
| Ultrasound Data | | | | Down's Syndro | ome Risk (Trisomy 2 | 21 Screening) | |
| Gestational age | 21+3 | | | The calculated risk for Trisomy 21 is below the cut off which represents a low risk. After the result of the Trisomy 21 test it is expected that | | | |
| M ethod | BPD (<>Hadlock) | | | | | | |
| | | | | _ | | th the same data, there is | |
| Risk | | | | | un a ursomy 21 pregn ed pregnancies. | ancy and 9999 women | |
| Risk 1:10 | | | | The calculated risk by PRISCA depends on the accuracy of | | | |
| 1.10 | | | | | the information provided by the referring physician. Please note that the risk calculations are statistical aapproaches and | | |
| | | | | have no diagno | | distical aapproaches and | |
| | | / | / | nave no diagno | osuc varue. | | |
| 1:100 | | | | | | | |
| | | | | m · 10 | | | |
| 1:250 | | / Ou | off | Trisomy 18 | | | |
| | | | | The calculated | l risk for Trisomy 18 | is <1:10000, which | |
| 1:1 <mark>000</mark> | | | | indicates a low risk | | | |
| | | | | Neural Tube 1 | Defect (NTD) Screen | ning | |
| 1:10000 | | | | The entered 1 | MoM for AED (0.00 |) is located in the learn | |
| 13 15 17 19 21 2 | 3 25 27 29 31 33 3 | 5 37 39 41 43 4 | 5 47 49 Age | The corrected | I MOM FOR ALL (U.99 |) is located in the low | |

The laboratory can not be held responsible for their impact on the risk assessment! Calculated value has no diagnostic value!



13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 Age



risk area for neural tube defects.

