

*Free Home Sample Collection 9999 778 778 Download "MOLQ"
App on

Book a Test Online www.molq.in

 Date of Report
 12/09/2023

 PRISCA
 5.2.0.13

| | | | | | FMSCA | 3.2.0.13 |
|--|-----------------|----------|---------|---|-----------------------|--------------------------|
| Patient Data | Value | | | | | |
| Name | | MRS.M | IANISHA | | Patient ID | 012309090286 |
| Birthday | 10-07-1997 | | | , | Sample ID | 11799791 |
| Age at delivery | 26.5 | | | | Sample Date | 09/09/2023 |
| Correction factors | | | | | | |
| Fetuses | 1 | IVF | | unknown | Previous trisomy 21 | unknown |
| Weight in kg | 60 | Diabetes | | NO | Pregnancies | unknown |
| Smoker | NO | Origin | | Asian | | |
| Biochemical Data | | - 0 | | Risks at sampl | | |
| Parameter | Value | Co | rr MoM | Age Risk | | 1:1283 |
| AFP | 66.4 | ng/ml | 0.94 | Biochemical T | risomy 21 Risk | 1:2712 |
| uE3 | 1.87 | ng/ml | 1.05 | Neural Tube I | Defect Risk | Low risk area |
| hCG | 29546.2 | mIU/ml | 1.69 | Trisomy 18 | | <1:10000 |
| Inhibin | 226.4 | IU/ml | 1.27 | | | |
| Ultrasound Data | | | | Down's Syndre | ome Risk (Trisomy 2 | 21 Screening) |
| Gestational age | | 20+4 | | | l risk for Trisomy 21 | is below the cut off |
| Method | BPD (<>Hadlock) | | | which represents a low risk. After the result of the Trisomy 21 test it is expected that | | |
| | | | | among 2712 women with the same data, there is one woman | | |
| Risk | | | | with a trisomy affected pregna | 21 pregnancy and 27 | 11 women with not |
| Risk 1:10 | | | | | | ends on the accuracy of |
| 1:10 | | | | the information provided by the referring physician. Please | | |
| | | | | note that the ri | | tistical aapproaches and |
| | | | | nave no diagno | osuc value: | |
| 1:100 | | | | | | |
| 1:250 | | | Out off | Trisomy 18 | | |
| 1:1000 | | | | The calculated risk for Trisomy 18 is <1:10000, which indicates a low risk | | |
| | | | | | | |
| 1:10000 | | ,, | | The corrected | MoM for AFP (0.94 |) is located in the low |
| 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 | | | | risk area for neural tube defects. | | |

value!

The laboratory can not be held responsible for their impact on the risk assessment! Calculated value has no diagnostic