

*Free Home Sample Collection 9999 778 778



Book a Test Online www.molq.in

| | | | | | Date of Report PRISCA | 19-03-2024 5.2.0.13 |
|---|------------------|-----------|------------|---|---|--------------------------|
| Patient Data | Value | | | | | |
| Name | Mrs. R | INKI SIDI | HARTH | | Patient ID | 012403180107 |
| Birthday | | (| 02-01-1997 | , | Sample ID | 11829917 |
| Age at delivery | 27.6 | | | ; | Sample Date | 18-03-2024 |
| Correction factors | | | | | | |
| Fetuses | 1 | IVF | | unknown | Previous trisomy 21 | unknown |
| Weight in kg | 48 | Diabetes | | NO | Pregnancies | unknown |
| Smoker | NO | Origin | | Asian | | |
| Biochemical Data | | | | Risks at sampling date | | |
| Parameter | Value | Со | rr MoM | Age Risk | | 1:1200 |
| AFP | 74.1 r | ng/ml | 1.06 | Biochemical T | risomy 21 Risk | 1:5691 |
| uE3 | 1.56 r | ng/ml | 0.99 | Neural Tube I | Defect Risk | Low risk area |
| hCG | 28827.5 r | mIU/ml | 1.31 | Trisomy 18 | | <1:10000 |
| Inhibin | 197.2 I | U/ml | 1.09 | | | |
| Ultrasound Data | | | | Down's Syndrome Risk (Trisomy 21 Screening) | | |
| Gestational age | 19+3 | | | The calculated risk for Trisomy 21 is below the cut off which represents a low risk. | | |
| Method | BPD (<>Handlock) | | | After the result of the Trisomy 21 test it is expected that | | |
| | | | | | omen with the same 21 pregnancy and 56 | data, there is one woman |
| Risk | | | | affected pregna | ancies. | |
| 1:10 | | | | The calculated risk by PRISCA depends on the accuracy of the information provided by the referring physician. Please | | |
| | | | | note that the risk calculations are statistical aapproaches and | | |
| | | | | have no diagno | ostic value! | |
| 1:100 | | | | | | |
| 1:250 Cut off | | | | Trisomy 18 | | |
| | | | | The calculated risk for Trisomy 18 is <1:10000, which | | |
| 1:1 <mark>000</mark> | | | | indicates a low risk Neural Tube Defect (NTD) Screening | | |
| | | | | Neural Tube | Defect (NTD) Scree | ning |
| 1:1(000 | | | | The corrected MoM for AFP (1.06) is located in the low | | |
| 13 15 17 19 21 23 25 27 29 31 33 35 37 39 41 43 45 47 49 risk area for neural tube defects. The laboratory can not be held responsible for their impact on the risk assessment! Calculated value has no diagnostic | | | | | | |
| value! | | | | | | |